

KOOKPLATEN EN GRILLS

# Kenyon Keramische Kookplaten




Reken op ons.

Auerhaan Lelystad is een bedrijf met een zeer lange historie; opgericht in 1885, is het bedrijf een bekende en betrouwbare toeleverancier van producten voor de carrosseriebouw, busbouw, machinebouw, scheepsbouw en jachtbouw. Vele vertegenwoordigingen van gerenommeerde fabrikanten in Europa en daarbuiten maken het productassortiment van Auerhaan tot een zeer breed programma. Het mag u dan ook duidelijk zijn dat de informatie die wij u geven via deze website nooit compleet kan zijn.



# Lite-Touch Q<sup>®</sup> *cortez*



Integrating the visual  
effect of knob control  
with the ease of touch.  
Clean stainless steel  
graphics compliment high  
end appliances and  
modernize any kitchen.

**KENYON<sup>®</sup>**  
*Make any day a weekend*



Kenyon International, Inc. building quality  
specialty cooking appliances since 1931.



# Lite-Touch Q<sup>®</sup>

*Smooth surface, round edged  
ceramic glass*

## Two Burner Trimline Units

### Model \*B41775 Portrait Mounting

120 V AC 50/60 Hz - 20 amp.  
2 - 6 1/2" (165mm) @ 1200 watts

### Model \*B41779 Portrait Mounting

208 V AC 50/60 Hz - 11.5 amp.  
2 - 6 1/2" (165mm) @ 1200 watts

### Model \*B41776 Portrait Mounting

240 V AC 50/60 Hz - 10 amp.  
2 - 6 1/2" (165mm) @ 1200 watts

### Model \*B41775L Landscape Mounting


120 V AC 50/60 Hz - 20 amp.  
2 - 6 1/2" (165mm) @ 1200 watts

### Model \*B41779L Landscape Mounting

208 V AC 50/60 Hz - 11.5 amp.  
2 - 6 1/2" (165mm) @ 1200 watts

### Model \*B41776L Landscape Mounting

240 V AC 50/60 Hz - 10 amp.  
2 - 6 1/2" (165mm) @ 1200 watts



Overall Dimensions: 21" x 12" x 4 1/8"

533.4mm x 304.8mm x 104.8mm

Cutout Dimensions: 20" x 10 3/4" with 1/4" radius

508mm x 273mm with 6.4mm radius

**Bringing the past into the  
future with the new touch  
control system from Kenyon.**

Steel colored graphics provide a sleek and polished look to the Lite-Touch Q<sup>®</sup> Cortez Series. The rounded edge design creates a beveled edged look. Smooth clear black glass, durable, and easy to clean, with safety features uniquely Kenyon.

The Lite-Touch Q<sup>®</sup> Cortez is programmed to automatically shut-off after 60 minutes if left on high or 90 minutes if left on low. Additional safety features include heat limiting cooking surface protectors, an *On* indicator light for each burner, and a *Hot* burner indicator light. Available in 120, 208 or 240 Volts.

Simply touch the ON/OFF circle and then raise or lower the heat setting by pressing the + or - graphic on the ceramic glass and start cooking.

All of the model numbers with an \* are also available as the T30 model with 30-minute automatic shut-off for all heat settings.

And as all Kenyon products, backed by uncompromising quality, exclusive 3-year product replacement warranty, and the best customer service in the industry.

# KENYON<sup>®</sup>

Kenyon International, Inc.  
P.O. Box 925, Clinton, CT 06413  
Tel: 860.664.4906  
Fax: 860.664.4907  
[www.CookWithKenyon.com](http://www.CookWithKenyon.com)



Tested to UL-1026

KENYON Logo, Lite-Touch Q, All Seasons, SILKEN, KENYON PUPS, City Grill and all related materials are trademarks of Kenyon International, Inc. ©2016 Kenyon International, Inc. All Rights Reserved. Specifications subject to change without notice. Printed in U.S.A. 9-2019.



# Lite-Touch Q<sup>®</sup> *Outdoors*



*Bringing the cooking outside...*

Lite-Touch Q<sup>®</sup> by Kenyon

blends design and function

into a style that enhances

your outdoor kitchen.

Waterproof design allows use

in any weather condition.




## KENYON<sup>®</sup>

*Make any day a weekend*



Kenyon International, Inc. building quality specialty cooking appliances since 1931.

# Lite-Touch Q®



## Lite-Touch Q® Outdoors

### Model B41573

120V AC 50/60 Hz - 10 amp.  
1 - 6 1/2" (165mm) @ 1200 watts  
GFCI three prong power cord

Overall Dimensions: 12 1/2" x 12" x 4 1/8"  
317.5mm x 304.8mm x 104.8mm  
Cutout Dimensions: 11 1/2" x 10 3/4" with 1/4" radius  
292.1mm x 273mm with 12.7mm radius



Safety is always the first criteria in any new design. For this reason the Lite-Touch Q® Outdoors model comes with a ground fault circuit interrupt (GFCI) power cord and a three prong 120V plug.

**Simply elegant in design...**

**Safety is always the first criteria with Kenyon.**

The new touch control system from Kenyon integrates the visual effect of knob control with the ease of touch control.

The Lite-Touch Q® Outdoors is programmed to automatically shut-off after 60 minutes if left on high or 90 minutes if left on low. Additional safety features include heat limiting cooking surface protectors, an *On* indicator light, and a *Hot* burner indicator light.

Simply touch the ON/OFF circle and then raise or lower the heat setting by pressing the + or - graphic on the ceramic glass and start cooking.

Elegant in design, the graphics pattern will enhance any outdoor kitchen design.

The ceramic glass slopes down to the counter with a mirror finish polished edge, framing the cooktop as it blends seamlessly into the counter.

And as all Kenyon products, backed by uncompromising quality, exclusive 3-year product replacement warranty, and the best customer service in the industry.

# KENYON®

Kenyon International, Inc.  
P.O. Box 925, Clinton, CT 06413  
Tel: 860.664.4906  
Fax: 860.664.4907  
[www.CookWithKenyon.com](http://www.CookWithKenyon.com)



KENYON Logo, Lite-Touch Q, All Seasons, SILKEN, KENYON PUPS, City Grill and all related materials are trademarks of Kenyon International, Inc. ©2012 Kenyon International, Inc. All Rights Reserved. Specifications subject to change without notice. UL is a registered trademark of Underwriters Laboratory Inc. Printed in U.S.A. 7-2021.



# Lite-Touch Q<sup>®</sup>



*Bringing the past*

*into the future...*

Integrating the visual effect  
of knob control with the  
ease of touch.

Lite-Touch Q<sup>®</sup> by

Kenyon blends  
design and function into  
a style that enhances  
any kitchen.

## KENYON<sup>®</sup>

*Make any day a weekend*



Kenyon International, Inc. building quality  
specialty cooking appliances since 1931.



# Lite-Touch Q<sup>®</sup>

*Subtly textured surface, beveled edged ceramic glass, may mount flush or proud*

## Two Burner Units

### Model B41540 Portrait Mounting

120 V AC 50/60 Hz - 22 amp.  
1 - 6 1/2" (165mm) @ 1200 watts  
1 - 8" (200mm) @ 1400 watts

### Model B41549 Portrait Mounting

208 V AC 50/60 Hz - 14.5 amp.  
1 - 6 1/2" (165mm) @ 1200 watts  
1 - 8" (200mm) @ 1800 watts

### Model B41541 Portrait Mounting

240 V AC 50/60 Hz - 13 amp.  
1 - 6 1/2" (165mm) @ 1200 watts  
1 - 8" (200mm) @ 1800 watts

### Model B41540L Landscape Mounting

120 V AC 50/60 Hz - 22 amp.  
1 - 6 1/2" (165mm) @ 1200 watts  
1 - 8" (200mm) @ 1400 watts

### Model B41549L Landscape Mounting

208 V AC 50/60 Hz - 14.5 amp.  
1 - 6 1/2" (165mm) @ 1200 watts  
1 - 8" (200mm) @ 1800 watts

### Model B41541L Landscape Mounting


240 V AC 50/60 Hz - 13 amp.  
1 - 6 1/2" (165mm) @ 1200 watts  
1 - 8" (200mm) @ 1800 watts

Overall Dimensions: 23 1/4" x 14 1/4" x 4 1/8"

590.6mm x 362mm x 104.8mm

Cutout Dimensions: 21 3/4" x 12 3/4" with 1/4" radius

552.5mm x 323.9mm with 6.4mm radius



## Two Burner Trimline Units

### Model \*B41575 Portrait Mounting

120 V AC 50/60 Hz - 20 amp.  
2 - 6 1/2" (165mm) @ 1200 watts

### Model \*B41579 Portrait Mounting

208 V AC 50/60 Hz - 11.5 amp.  
2 - 6 1/2" (165mm) @ 1200 watts

### Model \*B41576 Portrait Mounting

240 V AC 50/60 Hz - 10 amp.  
2 - 6 1/2" (165mm) @ 1200 watts

### Model \*B41575L Landscape Mounting

120 V AC 50/60 Hz - 20 amp.  
2 - 6 1/2" (165mm) @ 1200 watts

### Model \*B41579L Landscape Mounting

208 V AC 50/60 Hz - 11.5 amp.  
2 - 6 1/2" (165mm) @ 1200 watts

### Model \*B41576L Landscape Mounting


240 V AC 50/60 Hz - 10 amp.  
2 - 6 1/2" (165mm) @ 1200 watts

Overall Dimensions: 21" x 12" x 4 1/8"

533.4mm x 304.8mm x 104.8mm

Cutout Dimensions: 20" x 10 3/4" with 1/4" radius

508mm x 273mm with 6.4mm radius



**Simply elegant in design...**

**Safety is always the first criteria with Kenyon**

The new touch control system from Kenyon integrates the visual effect of knob control with the ease of touch control. Subtly textured black glass, beveled edge design, durable, and easy to clean with safety features uniquely Kenyon.

The Lite-Touch Q<sup>®</sup> is programmed to automatically shut-off after 60 minutes if left on high or 90 minutes if left on low. Additional safety features include heat limiting cooking surface protectors, an *On* indicator light for each burner, and a *Hot* burner indicator light. Available in 120, 208 or 240 Volts.

Simply touch the ON/OFF circle and then raise or lower the heat setting by pressing the + or - graphic on the ceramic glass and start cooking

Elegant in design, the graphics pattern will enhance any kitchen decor. The ceramic glass slopes down to the counter with a mirror finish polished edge, framing the cooktop as it blends into the counter.

All of the model numbers with an \* are also available as the T30 model with 30-minute automatic shut-off for all heat settings.

And as all Kenyon products, backed by uncompromising quality, exclusive 3-year product replacement warranty, and the best customer service in the industry.

# KENYON<sup>®</sup>

Kenyon International, Inc.  
P.O. Box 925, Clinton, CT 06413

Tel: 860.664.4906

Fax: 860.664.4907

[www.CookWithKenyon.com](http://www.CookWithKenyon.com)



Tested to UL-1026

KENYON Logo, Lite-Touch Q, All Seasons, SiKEN, KENYON PUPS, City Grill and all related materials are trademarks of Kenyon International, Inc. ©2016 Kenyon International, Inc. All Rights Reserved. Specifications subject to change without notice. Printed in U.S.A. 10-2020.

# Lite-Touch Q<sup>®</sup> *glacier*



Integrating the visual  
effect of knob control  
with the ease of touch.  
Easily slips into existing  
countertop openings from  
obsolete coil cooktops.

**KENYON<sup>®</sup>**  
*Make any day a weekend*



Kenyon International, Inc. building quality  
specialty cooking appliances since 1931.

# Lite-Touch Q®

Smooth surface, round edged  
ceramic glass

## Two Burner Units

### Model \*B41796

120 V AC 50/60 Hz - 22 amp.  
1 - 6 1/2" (165mm) @ 1200 watts  
1 - 8" (200mm) @ 1400 watts

### Model \*B41798

208 V AC 50/60 Hz - 15 amp.  
1 - 6 1/2" (165mm) @ 1200 watts  
1 - 8" (200mm) @ 1800 watts

### Model \*B41797


240 V AC 50/60 Hz - 13 amp.  
1 - 6 1/2" (165mm) @ 1200 watts  
1 - 8" (200mm) @ 1800 watts

Overall Dimensions: 21" x 17" x 3 1/4"

533mm x 432mm x 83mm

Cutout Dimensions: 19 1/2" x 16" with 1/4" radius

495mm x 406mm with 6mm radius



**Sustainably conscious and cost effective, the Lite-Touch Q® Glacier cooktop will simplify and speed the renovation process!**

Now remodeling and upgrading to "green" specifications is possible sans costly and laborious countertop replacement. Sized to fit an existing standard coil cooktop opening and available in 120, 208 or 240 Volts. Steel colored graphics provide a sleek and polished look to the Lite-Touch Q® Glacier Series. The rounded edge design creates a beveled edged look. Smooth clear black glass, durable, and easy to clean, with safety features uniquely Kenyon.

The Lite-Touch Q® Glacier is programmed to automatically shut-off after 60 minutes if left on high or 90 minutes if left on low. Additional safety features include heat limiting cooking surface protectors, an *On* indicator light for each burner, and a *Hot* burner indicator light. Simply touch the ON/OFF circle and then raise or lower the heat setting by pressing the + or - graphic on the ceramic glass and start cooking.

All of the model numbers with an \* are also available as the T30 model with 30-minute automatic shut-off for all heat settings.

And as all Kenyon products, backed by uncompromising quality, exclusive 3-year product replacement warranty, and the best customer service in the industry.

# KENYON®

Kenyon International, Inc.  
P.O. Box 925, Clinton, CT 06413  
Tel: 860.664.4906  
Fax: 860.664.4907  
[www.CookWithKenyon.com](http://www.CookWithKenyon.com)



Tested to UL-858:2014  
CSA C22.2

KENYON Logo, Lite-Touch Q, All Seasons, SilKEN, KENYON PUPS, City Grill and all related materials are trademarks of Kenyon International, Inc. ©2016 Kenyon International, Inc. All Rights Reserved. Specifications subject to change without notice. Printed in U.S.A. 3-2020.



# mediterranean



Influences of the finest galleys across the seas have produced the latest wave in cooktop design, with sloped silhouettes that blend seamlessly into the countertop.



# KENYON®

*Make any day a weekend*



Kenyon International, Inc. building quality specialty cooking appliances since 1931.

# Mediterranean

*Subtly textured surface, beveled edged ceramic glass,  
may mount flush or proud*

## Two Burner Units

### Model B41510

120 V AC 50/60 Hz - 22 amp.  
1 - 6 1/2" (165mm) @ 1200 watts  
1 - 8" (200mm) @ 1400 watts


### Model B41591

208 V AC 50/60 Hz - 15 amp.  
1 - 6 1/2" (165mm) @ 1200 watts  
1 - 8" (200mm) @ 1800 watts

### Model B41511

240 V AC 50/60 Hz - 13 amp.  
1 - 6 1/2" (165mm) @ 1200 watts  
1 - 8" (200mm) @ 1800 watts

Overall Dimensions: 23 1/4" x 14 1/4" x 3 1/4"  
590.6mm x 362mm x 82.6mm  
Cutout Dimensions: 21 3/4" x 12 3/4" with 1/4" radius  
552.5mm x 323.9mm with 6.4 radius



## Two Burner Trimline Units

### Model B41515

120 V AC 50/60 Hz - 20 amp.  
2 - 6 1/2" (165mm) @ 1200 watts each

### Model B41515US

120 V AC 50/60 Hz - 20 amp.  
2 - 6 1/2" (165mm) @ 1200 watts each  
Three prong power cord


### Model B41596

208 V AC 50/60 Hz - 12 amp.  
2 - 6 1/2" (165mm) @ 1200 watts each

### Model B41516

240 V AC 50/60 Hz - 10 amp.  
2 - 6 1/2" (165mm) @ 1200 watts each

Overall Dimensions: 21" x 12" x 3 1/4"  
533.4mm x 304.8mm x 82.6mm  
Cutout Dimensions: 20" x 10 3/4" with 1/4" radius  
508mm x 273mm with 6.4 radius



## Single Burner Units

### Model B41517

120 V AC 50/60 Hz - 10 amp.  
6 1/2" (165mm) @ 1200 watts


### Model B41598

208 V AC 50/60 Hz - 6 amp.  
6 1/2" (165mm) @ 1200 watts

### Model B41518

240 V AC 50/60 Hz - 5 amp.  
6 1/2" (165mm) @ 1200 watts

Overall Dimensions: 12 1/2" x 12" x 3 1/4"  
317.5mm x 304.8mm x 82.6mm  
Cutout Dimensions: 11 1/2" x 10 3/4" with 1/4" radius  
292.1mm x 273mm with 6.4 radius



**From the finest yacht galleys  
to your home,  
Kenyon Mediterranean series  
ceramic glass cooktops  
are the latest wave  
in cooktop design.**

Introducing the Mediterranean, a veritable sea of features with stylish muted graphics. Subtly textured black glass, beveled edge design, durable, and easy to clean, with safety features uniquely Kenyon. Both one and two burner models available in 120, 208 or 240 volts, with push-to-turn controls, infinite heat control and quick-to-heat radiant ribbon elements.

Safety features include heat limiting cooking surface protectors, an *On* indicator light for each burner, and a *Hot* burner indicator light.

And as all Kenyon products, backed by uncompromising quality, exclusive 3-year product replacement warranty, and the best customer service in the industry.

# KENYON®


Kenyon International, Inc.  
P.O. Box 925, Clinton, CT 06413  
Tel: 860.664.4906  
Fax: 860.664.4907  
[www.CookWithKenyon.com](http://www.CookWithKenyon.com)



KENYON Logo, Lite-Touch, All Seasons, SiIKEN, KENYON PUPS and all related materials are trademarks of Kenyon International, Inc. ©2012 Kenyon International, Inc. All Rights Reserved. Specifications subject to change without notice. UL is a registered trademark of Underwriters Laboratory Inc. Printed in U.S.A. 9-2012



# c a r i b b e a n



The smooth surface  
of the ceramic glass  
is a cooks delight,  
and a breeze to clean.  
The Caribbean  
Series culls the finest  
features found only  
in more expensive units.



# KENYON®

*Make any day a weekend*



Kenyon International, Inc. building quality  
specialty cooking appliances since 1931.



# caribbean

*Smooth surface, round edged  
ceramic glass*

## Two Burner Units

### Model B41601

120 V AC 50/60 Hz - 20 amp.  
2- 6 1/2" (165mm) @ 1200 watts

### Model B41601US

120 V AC 50/60 Hz - 20 amp.  
2- 6 1/2" (165mm) @ 1200 watts  
Three prong power cord


### Model B41692

208 V AC 50/60 Hz - 12 amp.  
2 - 6 1/2" (165mm) @ 1200 watts

### Model B41602

240 V AC 50/60 Hz - 10 amp.  
2 - 6 1/2" (165mm) @ 1200 watts

Overall Dimensions: 21" x 12" x 3 1/4"  
533.4mm x 304.8mm x 82.6mm  
Cutout Dimensions: 20" x 10 3/4" with 1/4" radius  
508mm x 273mm with 6.4 radius



## Single Burner Units

### Model B41605

120 V AC 50/60 Hz - 10 amp.  
1- 6 1/2" (165mm) @ 1200 watts


### Model B41696

208 V AC 50/60 Hz - 6 amp.  
1 - 6 1/2" (165mm) @ 1200 watts

### Model B41606

240 V AC 50/60 Hz - 5 amp.  
1 - 6 1/2" (165mm) @ 1200 watts

Overall Dimensions: 12 1/2" x 12" x 3 1/4"  
317.5mm x 304.8mm x 82.6mm  
Cutout Dimensions: 11 1/2" x 10 3/4" with 1/4" radius  
292.1mm x 273mm with 6.4 radius



**For uncomplicated quality  
amid the sea of selections...  
it's simply the Kenyon  
Caribbean series  
of ceramic glass cooktops!**

With clean graphics and effortless operation, the Caribbean elegantly combines value with virtue. Smooth clear black glass, durable, and easy to clean, with safety features uniquely Kenyon. Both one and two burner models available in 120, 208, or 240 volts, with push-to-turn controls, infinite heat control and quick-to-heat radiant ribbon elements.

Safety features include heat limiting cooking surface protectors, an *On* indicator light for each burner, and a *Hot* burner indicator light.

And as all Kenyon products, backed by uncompromising quality, exclusive 3-year product replacement warranty, and the best customer service in the industry.

# KENYON®

Kenyon International, Inc.  
P.O. Box 925, Clinton, CT 06413  
Tel: 860.664.4906  
Fax: 860.664.4907  
[www.CookWithKenyon.com](http://www.CookWithKenyon.com)



KENYON Logo, Lite-Touch, All Seasons, SILKEN, KENYON PUPS and all related materials are trademarks of Kenyon International, Inc. ©2012 Kenyon International, Inc. All Rights Reserved. Specifications subject to change without notice. UL is a registered trademark of Underwriters Laboratory Inc. Printed in U.S.A. 9-2012

# Stack**KEN**<sup>TM</sup> Custom-Designed Cookware by **KENYON**<sup>®</sup>



- Suited for use on **Induction, Glass, Vitro-Ceramic, Halogen** and **Gas** cooking stoves
- **High quality** stainless steel
- 7-ply material construction ensures **even heating top to bottom**, uses less energy and is easy to clean
- **Save up to 50% space** with unique removable handles and stacking design
- The ergonomic patented handles **do not transfer heat from the cookware** and are **very comfortable to grip** securely
- **Vapor Technology** allows you to cook food quicker, at lower temperatures and without added fat or excess water
- **Dishwasher and Oven Safe**
- **Made in the USA**

The Perfect Compliment to Kenyon Cooktops!



KENYON INTERNATIONAL, INC.

P.O. BOX 925 | CLINTON, CT 06413 USA | PHONE: (860) 664-4906 | FAX: (860) 664-4907

[WWW.COOKWITHKENYON.COM](http://WWW.COOKWITHKENYON.COM)



# WHAT IS VAPOR COOKING?

Vapor cooking is a revolutionary cooking method that will radically change not just the way you cook, but also how it tastes. StacKEN™ lets you create intensely flavorful, naturally vitamin and mineral-rich meals undiluted by water or doused in oil, butter, or other fat and sodium-laden ingredients. With StacKEN™ cookware, meals practically cook themselves - using less energy and fewer ingredients than traditional cooking methods.

Cook any and all types of foods - including baked goods - right on your stove top, using little or no water or added fats. No more limp, overcooked vegetables or bland, dry meats. Vegetables are vibrant and flavorful; chicken, meats and fish are succulent enough to melt in your mouth. Even skinless boneless chicken breasts are juicy and tender without adding so much as a drop of oil to the pan.

The secrets to Vapor Cooking lie in the multi-ply construction and unique shape of our cookware. Each piece of cookware is crafted from multiple layers of the highest-quality, American-made metals. The core provides superior and unsurpassed heat conductivity and retention. The core is sandwiched between an interior and exterior layer of T-304 surgical stainless steel, creating cookware that is as durable and easy to clean, as it is beautiful.



**6 QUART STOCKPOT**

———— *Part # A70064* ————



**11.5 INCH SKILLET**

———— *Part # A70065* ————



**5 QUART WOK**

———— *Part # A70067* ————



## **StacKEN™ Essentials with Insulated Carry Bag**

———— *Part # A70063* ————

StacKEN™ is unlike any cookware you've ever experienced. Neatly packaged inside a softside Igloo cooler and comes with the set of 4 essential cookware with patented removable handles and lids.

**6 Piece Set includes: 1 Qt Covered Sauce Pan, 3 Qt Covered Sauce Pan, 2 Qt Saucier, 8.5 Inch Sauté Pan, and Igloo Cooler Bag.**



Poseidonweg 39  
8239 DK Lelystad

T 0320 - 28 61 71  
E [lelystad@auerhaan.nl](mailto:lelystad@auerhaan.nl)  
W [auerhaan-lelystad.nl](http://auerhaan-lelystad.nl)

Reken op ons.

